

SDS Report

No.: CANEC2004017901

Date: 03 Apr 2020

Page 1 of 1

ZHEJIANG KAN BATTERY CO., LTD.

NO. 998 KAN ROAD, SUICHANG, ZHEJIANG 323300, P.R.CHINA

SGS Job No. : CP20-011686
 Sample Name : Ni-MH Battery
 Manufacturer : ZHEJIANG KAN BATTERY CO., LTD.
 Country of Origin : CHINA
 End Uses : Toys, shavers, vacuum cleaners, power tools, personal care products, electronic products, and any other small household appliances
 Composition/Ingredient of sample (as per client submission) : See section 3 Composition/information on ingredients on the SDS report
 Job Receiving Date : 30 Mar 2020
 SDS Preparation Period : 30 Mar 2020-03 Apr 2020

Service Requested : Safety Data Sheet (SDS) for the sample with submitted composition.

Summary : As per request, the contents and formats of the SDS are prepared in accordance with European Commission Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 2015/830, and is provided per attached.

Remark:

The SDS is prepared based on the information provided by client.

* This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

Signed for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch



Zm guan
 Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Guangzhou Branch Testing Center Chemical Laboratory.

198 Kezhu Road, Sciotech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Ni-MH Battery
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture:**
Toys, shavers, vacuum cleaners, power tools, personal care products, electronic products, and any other small household appliances
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:** ZHEJIANG KAN BATTERY CO., LTD.
- **Full address:** NO. 998 KAN ROAD, SUICHANG, ZHEJIANG 323300, P.R.CHINA
- **Phone number:** 0578-8181529
- **Email:** support3@kanbattery.com
- **Only Representative / other EU contact point:** Not available
- **Further information obtainable from:** ZHEJIANG KAN BATTERY CO., LTD.
- **1.4 Emergency telephone number:**
GERMANY
Poison Center Berlin - Institute of Toxicology
Tel: +49 030 192 40
- **1.5 Reference Number:** CANEC2004017901, CP20-011686
- **1.6 Remark:**
* This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Sol. 1	H228 Flammable solid.
--------------	-----------------------



GHS08 health hazard

Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 2	H351 Suspected of causing cancer.
STOT RE 1	H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 corrosion

Eye Dam. 1	H318 Causes serious eye damage.
------------	---------------------------------



GHS07

Skin Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 1)

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008.

· **Classification system:**

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No. 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02

GHS05

GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

nickel

potassium

cobalt

· **Hazard statements**

H228 Flammable solid.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards:**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:**

Mixture of the substances listed below with nonhazardous additions.

For the wording of the listed hazard statements refer to section 16.

(Contd. on page 3)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 2)

· Composition:

CAS: 7440-02-0 EINECS: 231-111-4 Index number: 028-002-00-7	nickel ⚠ Carc. 2, H351; STOT RE 1, H372; ⚠ Skin Sens. 1, H317	58.53%
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	8.6%
CAS: 7732-18-5 EINECS: 231-791-2	Water	8%
CAS: 7440-48-4 EINECS: 231-158-0 Index number: 027-001-00-9	cobalt ⚠ Resp. Sens. 1, H334; ⚠ Skin Sens. 1, H317; Aquatic Chronic 4, H413	7.35%
CAS: 7439-91-0 EINECS: 231-099-0	Lanthanum ⚠ Flam. Sol. 1, H228	7.2%
CAS: 7440-09-7 EINECS: 231-119-8 Index number: 019-001-00-2	potassium ⚠ Water-react. 1, H260; ⚠ Skin Corr. 1B, H314	3.3%
CAS: 7440-45-1 EINECS: 231-154-9	cerium ⚠ Flam. Sol. 1, H228	2.6%
CAS: 7439-96-5 EINECS: 231-105-1	manganese substance with a Community workplace exposure limit	1.95%
CAS: 7440-66-6 EINECS: 231-175-3	zinc ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1.4%
CAS: 7440-00-8 EINECS: 231-109-3	neodymium	1.07%

SECTION 4: First aid measures**· 4.1 Description of first aid measures****· General description:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.**· After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**· After swallowing:** If symptoms persist consult doctor.**· 4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures**· 5.1 Extinguishing media****· Suitable extinguishing agents:**

Extinguishing powder. Do not use water.

CO₂. Do not use water.

Sand. Do not use water.

Special powder for metal fires. Do not use water.

CO₂, sand, extinguishing powder. Do not use water.

(Contd. on page 4)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 3)

- Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water
- **5.2 Special hazards arising from the substance or mixture:**
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures:**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Do not allow product to reach sewage system or any water source.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling:**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
For the general occupational hygienic measures refer to Section 8.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep container tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s):** No further relevant information available.

EU

(Contd. on page 5)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

7440-02-0 nickel (58.53%)

WEL (Great Britain)	Long-term value: 0.5 mg/m ³ as Ni; Sk; Carc
AGW (Germany)	Long-term value: 0.006A; 0.030E* mg/m ³ 8(II);AGS, 24, Sh, Y, 10*, 31*
VME (France)	Long-term value: 1 mg/m ³ C2

7440-50-8 copper (8.6%)

WEL (Great Britain)	Short-term value: 2** mg/m ³ Long-term value: 0.2* 1** mg/m ³ *fume **dusts and mists (as Cu)
MAK (Germany)	Long-term value: 0.01 A mg/m ³ als Cu
VME (France)	Short-term value: 2** mg/m ³ Long-term value: 0.2* 1** mg/m ³ *fumées **poussières, en Cu

7440-48-4 cobalt (7.35%)

WEL (Great Britain)	Long-term value: 0.1 mg/m ³ as Co; Carc, Sen
MAK (Germany)	einatembare Fraktion; vgl.Abschn.XIII

7439-96-5 manganese (1.95%)

IOELV (EU)	Long-term value: 0.2* 0.05** mg/m ³ as Mn; *inhalable, **respirable fraction
WEL (Great Britain)	Long-term value: 0.2* 0.05** mg/m ³ as Mn *inhalable fraction **respirable fraction
AGW (Germany)	Long-term value: 0.02A; 0.2E mg/m ³ 8(II);DFG,Y,10, 20

7440-66-6 zinc (1.4%)

MAK (Germany)	Long-term value: 0.1A* 2E** mg/m ³ *alveolengängig; **einatembare
---------------	---

· Regulatory information

WEL (Great Britain): EH40/2018
 AGW (Germany): TRGS 900
 VME (France): ED 984, 10.2016
 MAK (Germany): MAK- und BAT-Liste
 IOELV (EU): (EU) 2017/164

· DNELs: Not available

· PNECs: Not available

· Ingredients with biological limit values:

7439-96-5 manganese

BGW (Germany)	20 µg/l Untersuchungsmaterial: Vollblut Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten, Expositionsende bzw. Schichtende Parameter: Mangan
---------------	---

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 6)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 5)

· 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

· **Appropriate engineering controls:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
See Section 7 for information about design of technical facilities.

· **Personal protective equipment**

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **Appearance**

Form:	Solid
Colour:	Silver
Odour:	Odourless
Odour threshold:	Not available

pH-value:	Not available
------------------	---------------

· **Change in condition**

Melting point/Freezing point:	Not available
--------------------------------------	---------------

(Contd. on page 7)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 6)

Initial boiling point and boiling range: Not available	
· Flash point:	Not available
· Flammability (solid, gas):	Not available
· Auto-ignition temperature:	Not available
· Decomposition temperature:	Not available
· Self-igniting:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not available
Upper:	Not available
· Oxidising properties:	Not available
· Vapour pressure:	Not available
· Density:	Not available
· Relative density:	Not available
· Vapour density:	Not available
· Evaporation rate:	Not available
· Solubility in / Miscibility with water:	Not available
· Partition coefficient: n-octanol/water:	Not available
· Viscosity	
Dynamic:	Not available
Kinematic:	Not available
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity:** Data not available
- **10.2 Chemical stability:** Data not available
- **10.3 Possibility of hazardous reactions:** Contact with water releases flammable gases.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

7440-48-4 cobalt

Oral	LD50	6,170 mg/kg (rat)
------	------	-------------------

7439-96-5 manganese

Oral	LD50	9,000 mg/kg (rat)
------	------	-------------------

- **Skin corrosion/irritation:**
Causes skin irritation.

(Contd. on page 8)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 7)

- **Serious eye damage/irritation:**
Causes serious eye damage.
- **Respiratory or skin sensitization:**
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even extremely small quantities leak into the ground.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|--|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR/RID/ADN, IATA · IMDG | <p>Not applicable</p> <p>UN3496</p> |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR/RID/ADN, IATA · IMDG | <p>Not applicable</p> <p>Batteries, nickel-metal hydride</p> |

(Contd. on page 9)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 8)

· 14.3 Transport hazard class(es)**· ADR/RID/ADN, IATA****· Class**

Not applicable

· Label

-

· IMDG**· Class**

9 Miscellaneous dangerous substances and articles.

· Label

9

· 14.4 Packing group**· ADR/RID/ADN, IMDG, IATA**

Not applicable

· 14.5 Environmental hazards

Not applicable

· 14.6 Special precautions for user:

Not applicable

· Danger code (Kemler):

-

· EMS Number:

F-A,S-I

· Stowage Category

A

· Stowage Code

SW1 Protected from sources of heat.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

· 14.8 Transport/Additional information:**· IMDG****· Limited quantities (LQ)**

0

· Excepted quantities (EQ)

Code: E0

Not permitted as Excepted Quantity

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· MAK(German Maximum Workplace Concentration)**

7440-02-0	nickel	1
7440-48-4	cobalt	2

· Directive 2012/18/EU**· Named dangerous substances - ANNEX I** None of the ingredients is listed.**· Seveso category 01** Substances or mixtures with hazard statement EUH014**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**· National regulations:****· Waterhazard class:** Water hazard class 3 (Self-assessment): extremely hazardous for water.**· Other regulations, limitations and prohibitive regulations****· SVHC Candidate List of REACH Regulation Annex XIV Authorisation (16/1/2020)**

None of the ingredients is listed

· REACH Regulation Annex XVII Restriction (20/06/2019)

See Section 16 for information about restriction of use.

None of the ingredients is listed

(Contd. on page 10)

Safety data sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 9)

· **REACH Regulation Annex XIV Authorisation List (13/6/2017)**

None of the ingredients is listed

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· **Relevant hazard statements**

H228 Flammable solid.
 H260 In contact with water releases flammable gases which may ignite spontaneously.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H351 Suspected of causing cancer.
 H372 Causes damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

· **Classification according to Regulation (EC) No. 1272/2008**

Flammable solids	On basis of test data
Skin corrosion/irritation Serious eye damage/eye irritation Respiratory sensitisation Skin sensitisation Carcinogenicity Specific target organ toxicity (repeated exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No. 1272/2008.

 The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reason, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Remark:

* This sample is likely to be classified as article with substances not intended to be released and is out of scope of a SDS as set out in Regulation (EC) No 1907/2006. This SDS is generated for client's reference only.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

Safety data sheet
Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 03.04.2020

Version number 1

Revision: 31.03.2020

Trade name: Ni-MH Battery

(Contd. of page 10)

*vPvB: very Persistent and very Bioaccumulative**Flam. Sol. 1: Flammable solids – Category 1**Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1**Skin Corr. 1B: Skin corrosion/irritation – Category 1B**Skin Irrit. 2: Skin corrosion/irritation – Category 2**Eye Dam. 1: Serious eye damage/eye irritation – Category 1**Resp. Sens. 1: Respiratory sensitisation – Category 1**Skin Sens. 1: Skin sensitisation – Category 1**Carc. 2: Carcinogenicity – Category 2**STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1**Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1**Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1**Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3**Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4*

. *****

End of document

EU