



## Product Highlights:

- Ultra-compact so you can always keep it with you for spontaneous creativity anytime, anywhere
- The portable SSD plus the hub, which has its own four USB Type-C ports, along with included adapters and cables, gives you the ultimate flexibility to customize your setup to suit the shoot
- Capture brilliant Apple ProRes footage and store with ease
- Cable-free plug-and-play Type-C connector frees you from tangled, cumbersome cables
- Blazing-fast performance up to 1050MB/s read and 1000MB/s write<sup>1</sup> for seamless 4K recording, no dropped frames, and swift backups
- Ready for travel – dust- and water-resistant (rated IP65<sup>2</sup>), and drop-resistant up to 1 meter

## Capacities:

### 2TB

(up to 1050MB/s read, 1000MB/s write<sup>1</sup>)

### 1TB

(up to 1050MB/s read, 1000MB/s write<sup>1</sup>)



## A Brand-New Way to Shoot Apple ProRes Video

The ultimate setup to shoot seamless video from your mobile phone, the innovative Lexar Professional Go Portable SSD with Hub is a revolutionary solution that lets you use the SSD on its own for unmatched freedom and portability or with the hub to add peripherals like lighting, microphones, power banks, and more. Weighing a mere 13 grams but packing a capacity of 1TB-2TB, this powerful drive delivers USB 3.2 Gen 2 performance of 1050MB/s read, 1000MB/s write<sup>1</sup> to shoot seamless Apple ProRes 4K 60 fps video from your iPhone 15 Pro/Pro Max or iPhone 16 Pro/Pro Max and perform post-production processes right on the drive.

**Mini Size, Max Capacity.** The entire kit measures just 2.71" x 1.71" x 0.32", and the portable SSD itself measures a mere 1.00" x 1.71" x 0.32" and weighs only 13 grams. About the size of your thumb, it feels practically weightless while offering an incredible capacity of up to 2TB. So you can store more high-res videos and photos and focus on creativity.

**Versatile Hub for a Professional Setup.** The flexible combination of the portable SSD and hub (which has four USB Type-C ports), along with the included adapters and cables, makes it easy to add accessories. It also comes with USB Type-C adapters (male-to-male and male-to-female) and a cold shoe adapter cable for maximum versatility. Expand your shooting capabilities for various scenarios with just one set of equipment.

**Capture Brilliant Apple ProRes Footage, Store with Ease.** An innovative solution specifically designed for iPhone 15 users, the Lexar Professional Go Portable SSD with Hub lets you easily record Apple ProRes videos with an iPhone 15 Pro/Pro Max or iPhone 16 Pro/Pro Max. Whether you want to capture unforgettable moments or create professional-quality videos, the Lexar Professional Go Portable SSD with Hub is the ultimate setup for creators and videographers alike.

**Plug-and-Play Convenience.** For the utmost in freedom, use the compact, portable SSD on its own – no cables, no hassles. For longer shoots or to enhance sound or lighting, use with its hub and you can attach your favorite accessories.

**Built to Endure, Ready for Adventure.** Rated IP65,<sup>2</sup> the portable SSD is solidly dust- and water-resistant, so you can confidently use it in a variety of locations without worry. It is also drop-resistant up to 1m to handle everyday knocks and bumps and comes with a silicone case for superior protection from the outside in.

**Built for Speed.** With USB 3.2 Gen 2 performance up to 1050MB/s read and 1000MB/s write,<sup>1</sup> the Lexar Professional Go Portable SSD delivers seamless recording of Apple ProRes 4K 60 fps video from iPhone 15 Pro/Pro Max or iPhone 16 Pro/Pro Max and speeds through backups and post-production work. And the Lexar Professional Go Portable Hub supports transfer speeds up to 10Gbps<sup>1</sup> to improve your workflow efficiency.

**Rigorously Tested.** All Lexar products undergo extensive testing in the Lexar Quality Labs, facilities with thousands of different cameras and digital devices to ensure performance, quality, compatibility, and reliability.

*For more than 27 years, Lexar has been trusted as a leading global brand of memory solutions. Our award-winning lineup includes memory cards, USB flash drives, card readers, solid-state drives, and DRAM. With so many options, it's easy to find the right Lexar solution to fit your needs. Lexar products are available worldwide at major retail and e-tail stores. For more information or support, visit [www.lexar.com](http://www.lexar.com).*

Lexar Retail Sku	Capacity	Region	Single UPC Code	Inner Carton UPC Code	Inner Carton Qty
LSL400S002T-RNBNG	2TB	Global	843367136308	10843367136305	10
LSL400S001T-RNBNG	1TB		843367136292	10843367136299	
LSL400S002T-RNSNG	2TB		843367136346	10843367136343	
LSL400S001T-RNSNG	1TB		843367136339	10843367136336	
LSL400S002T-RNBNU	2TB	North America	843367136322	10843367136329	10
LSL400S001T-RNBNU	1TB		843367136315	10843367136312	
LSL400S002T-RNSNU	2TB		843367136360	10843367136367	
LSL400S001T-RNSNU	1TB		843367136353	10843367136350	

## Specifications

Capacity	1TB, 2TB
Interface Protocol	USB 3.2 Gen 2
Hub Interface	4 USB Type-C Connectors
Speed	Portable SSD: Up to 1050MB/s read, up to 1000MB/s write <sup>1</sup> Portable Hub: Up to 10 Gbps <sup>1</sup>
Ingress Protection Rating	Only Portable SSD: IP65 dust- and water-resistant <sup>2</sup> , 1-meter anti-drop <sup>2</sup>
Hub Power Supply	Up to 30W
Operating Temperature	Portable SSD: 0°C to 50°C (32°F to 122°F) Hub: -10°C to 50°C (14°F to 122°F)
Storage Temperature	Portable SSD: -40°C to 85°C (-40°F to 185°F) Hub: -20°C to 70°C (-4°F to 158°F)
Module Size	68.8 x 43.5 x 8.25mm / 2.71 x 1.71 x 0.32"
Weight	36g/0.079lbs
Warranty	Five-year limited warranty

<sup>1</sup>Speeds based on internal testing. Actual speed may vary depending on host device.

<sup>2</sup>The Lexar Professional Go Portable SSD is rated IP65 and 1-meter anti-drop based on internal testing conducted under controlled conditions. Actual water, dust, and drop resistance capabilities may vary. Damage caused by liquid, dust, and drops are not covered under warranty.

Actual usable memory capacity may vary. 1GB equals 1 billion bytes.

Lexar is not liable for any loss of data or images.

Product appearance, performance, software offerings, and packaging may vary depending on ship date and available inventory.

[www.lexar.com](http://www.lexar.com)

©2024 All Rights Reserved. Information, products, specifications, and features are subject to change without notice. Neither Lexar nor Longsys is responsible for omissions or errors in typography or photography. Lexar, the Lexar logo, and all other Lexar trademarks are the property of Longsys Electronics (HK) Co., Ltd. or Shenzhen Longsys Electronics Co., Ltd. All other trademarks are property of their respective owners.