

# **MSDS**

# MATERIAL SAFETY DATA SHEET

**Goods Name** : Rechargeable Li-ion Battery

**Model Name** : D

Applicant : Shenzhen AVEnergy Technology Co., Ltd

Report Number : KS2012S02673B04

Issue Date : January 06, 2021

Written by: Approved by:

Testing Co., Ltd. KSIGN(Guangdong)

Tel.: +(86) 0755-2985 2678 Fax: +(86) 0755-2985 2397 E-mail: info@gdksign.cn http://www.gdksign.com

Page 1 of 10



Report No.: KS2012S02673B04

\* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request.

### 1. IDENTIFICATION

**Product identifier** 

**Product Name** Rechargeable Li-ion Battery (Model: D)

Other means of identification

**Product description** Rating: 3.7Vd.c., 1800mAh, 6.66Wh

Weight: appr. 81.3g

Dimensions: Max.:  $\Phi$ 32.3×62.5 (mm)

**Trademark** N/A

Recommended use of the chemical and restrictions on use

Recommended Use LITHIUM ION BATTERIES

Restrictions on use No information available

Details of the supplier of the Material safety data sheet

Initial supplier identifier Shenzhen FEREX ELECTRICAL Co., Ltd

Block 2, Jiuzhou Industrial Park, East Side of Songbai Road, Gongming **Address** 

Town, Guangming New District, Shenzhen City

**Telephone** +86-755-23227542

Website www.ferex.com.cn

E-mail qy@ferex.com.cn

**Emergency telephone number** 

**Company Emergency Phone** 

Number

+86-755-23227542

# 2. HAZARDS IDENTIFICATION

Classification LITHIUM ION BATTERIES

Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

# GHS Label elements, including precautionary statements

KSIGN(Guangdong) Testing Co., Ltd.

KSB TRF No. MSDS R2

West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen,



Report No.: KS2012S02673B04

Signal Word: Danger

#### **Hazard Label**







#### **Hazard statements**

This is a battery. In case of rupture:. Harmful in contact with skin Causes severe skin burns and eye damage May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure

#### CAS#7429-90-5

### Classification according to GHS

Substances and mixtures which, in contact with water, emit flammable gases (2, 3) Specific target organ toxicity, repeated exposure (1) (respiratory system) H261 in contact with water releases flammable gas

H372 causes damage to organs through prolonged or repeated exposure (respiratory system)

#### CAS# 7440-50-8

#### Classification according to GHS

Sensitisation, skin(1, 1A, 1B)

Specific target organ toxicity, single exposure (1)(digestive system)

Specific target organ toxicity, single exposure; Respiratory tract irritation(3)

H317 May cause an allergic skin reaction

H370 causes damage to organs (digestive system)

H335 May cause respiratory irritation

#### **Precautionary Statements - Prevention** CAS#7429-90-5

P223 Do not allow contact with water.

P231+ P232 Handle and store contents under inert gas, protect from moisture.

P280 wear protective gloves, protective clothing, eye protection and face protection.

P260 Do not breathe dust.

P264 wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

### CAS# 7440-50-8

P260 Do not breathe dust, fume.

P272 contaminated work clothing should not be allowed out of the workplace.

P280 wear protective gloves, eye protection, face protection.

P264 wash skin and clothing thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 use only outdoors or in a well-ventilated area.

### **Precautionary Statements - Response** CAS#7429-90-5

P302+ P335+ P334IFON SKIN: Brush off loose particles from skin and immerse in cool water.

P370+ P378 in case of fire: use the appropriate media put out the fire.

P314 Get medical advice if you feel unwell.

#### CAS# 7440-50-8

P302+ P352 IF ON SKIN: wash with plenty water.

KSB TRF No. MSDS R2

KSIGN(Guangdong) Testing Co., Ltd.

KSB\_TRF No. MSD.

West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shajing, Bao'an District, Shenzhen, Guangdong, China



Report No.: KS2012S02673B04

P333 +P313 if skin irritation or rash occurs: Get medical advice.
P321 specific treatment (see additional emergency instructions).
P362+ P364 Take off contaminated clothing and wash it before reuse
P308+ P311 IF exposed or concerned: call a POISON CENTER.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 call a POISON CENTER if you feel unwell.

#### Eyes

Immediately call a POISON CENTER or doctor IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Skin

Call a POISON CENTER or doctor if you feel unwell
Take off contaminated clothing and wash it before reuse
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

#### Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing Immediately call a POISON CENTER or doctor

# Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

May be harmful if swallowed Very toxic to aquatic life Very toxic to aquatic life with long lasting effects



Report No.: KS2012S02673B04

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lithium Cobalt Oxide (CoLiO2)	12190-79-3	15 - 40	300	-
Copper	7440-50-8	11 - 31	4.	- 192
Graphite	7782-42-5	10 - 27	-	55
Ethylene carbonate	96-49-1	10 - 31		- n
Phosphate(1-), hexafluoro-, lithium	21324-40-3	5 - 16	- 1	<u> </u>
Aluminum foil	7429-90-5	3 - 10	- 285	-

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice** First aid is upon rupture of sealed battery. Show this Material safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or

concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary

edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

> minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical

advice/attention.

Skin contact Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Get immediate medical advice/attention. May

cause an allergic skin reaction.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of

water. Never give anything by mouth to an unconscious person. Get immediate

medical advice/attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take

precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth

resuscitation.



Report No.: KS2012S02673B04

Most important symptoms and effects, both acute and delayed

**Symptoms** Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is

> contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons.

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the The product causes burns of eyes, skin and mucous membranes. Thermal chemical

decomposition can lead to release of irritating gases and vapors. Product is or

contains a sensitizer. May cause sensitization by skin contact.

**Hazardous Combustion** 

**Products** 

Carbon oxides.

**Explosion Data** 

Sensitivity to Mechanical

**Impact** 

Sensitivity to Static

**Discharge** 

None. None.

Special protective equipment for Firefighters should wear self-contained breathing apparatus and full firefighting fire-fighters turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use

personal protective equipment as required. Attention! Corrosive material. Evacuate

personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. **Methods for containment** 

Methods for cleaning up Pick up and transfer to properly labeled containers.

KSB TRF No. MSDS R2 KSIGN(Guangdong) Testing Co., Ltd. West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen, Guangdong, China

Tel.: +(86) 0755-2985 2678 Fax: +(86) 0755-2985 2397 E-mail: info@gdksign.cn http://www.gdksign.com Page 6 of 10



Report No.: KS2012S02673B04

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from moisture. Keep out of the reach of children. Store away from other materials.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls** 

Use local exhaust ventilation or other engineering controls to control sources of

dust, mist, fumes and vapor.

Keep away from heat and open flame. Store in a cool, dry place.

Respiratory Protection: Not necessary under normal conditions.

Skin and body Protection: Not necessary under normal conditions, Wear suitable

protective clothing and gloves if handling an open or leaking battery.

**Personal Protective Equipment** 

Hand protection: Wear suitable gloves if handling an open or leaking battery. Eve Protection: Not necessary under normal conditions, Wear safety glasses if

handling an open or leaking battery.

**Other Protective Equipment** 

Have a safety shower and eye wash fountain readily available in the immediate

work area.

**Hygiene Measures** 

Do not eat, drink, or smoke in work area. Maintain good housekeeping.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

**Physical state** Solid White **Appearance** 

No information available Odor Color No information available **Odor Threshold** No information available

Property	Values	Remarks Metho
pH 🥠	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water Solubility	Insoluble in water	

KSIGN(Guangdong) Testing Co., Ltd.

KSB TRF No. MSDS R2

West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen, Guangdong, China



Report No.: KS2012S02673B04

Solubility(ies) None known

Partition coefficient:

n-octanol/water

**Autoignition temperature Decomposition temperature** 

Kinematic viscosity **Dynamic viscosity** 

No data available N/A

No data available No data available No data available No data available

None known

None known None known None known

Other Information

No information available. **Explosive properties Oxidizing properties Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution** 

No information available. No information available No information available

# 10. STABILITY AND REACTIVITY

Reactivity No information available.

**Chemical stability** Stable under normal conditions.

**Possibility of Hazardous** 

Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Acids. Bases. Oxidizing agent.

**Hazardous Decomposition** 

**Products** 

Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

Risk of irritation occurs only if the cell is mechanically, thermally or electrically Irritation

abused to the point of compromising the enclosure. If this occurs, irritation to the

skin, eyes and respiratory tract may occur.

Sensitization **Neurological Effects Teratogenicity Reproductive Toxicity Mutagenicity (Genetic Effects) Toxicologically Synergistic Materials** 

Not Available Not Available Not Available Not Available Not Available Not Available



Report No.: KS2012S02673B04

12. ECOLOGICAL INFORMATION

Not Available **Ecological Toxicity** 

Not Available Mobility in soil

Persistence and Degradability Not Available

**Bioaccumulation potential** Not Available

Other Adverse Effects Not Available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance

with environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

**UN Number** -DOT, IMDG, IATA

UN 3480 & UN 3481

**Transport information** 

Rechargeable Li-ion Battery (Sample Model: D) is tested and has passed in accordance with UN manual of Tests and Criteria, Part III, subsection 38.3. The goods shall be complied with the requirements of Section IB~II of Packing Instruction 965 or of Section II of Packing Instruction 966 & 967 of 62nd DGR Manual of IATA or special provision 188 of IMDG CODE (Amdt. 39-18).

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport, ensure that the goods will not falling, dropping, and breakage, prevent collapse of cargo piles and wet by rain.

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code".

**Proper Shipping Name** 

Lithium ion Batteries (Including lithium ion polymer batteries) or;

Lithium ion Batteries packed with equipment (Including lithium ion polymer

batteries) or:

Lithium ion Batteries contained in equipment (Including lithium ion polymer

batteries)

**TDG** 

Not regulated

DOT

**Hazard Class Emergency Response Guide 147** 

Number

MEX Not regulated

**ICAO** Not regulated

KSIGN(Guangdong) Testing Co., Ltd.

KSB TRF No. MSDS R2

West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen, Guangdong, China



Report No.: KS2012S02673B04

**Hazard Class** 9

IMDG/IMO

**Hazard Class** 

F-A, S-I EmS-No.

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

### Law information

《Dangerous Goods Regulations》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《International Maritime Dangerous Goods》

《Technical Instructions for the Safe Transport of Dangerous Goods》

《Classification and code of dangerous Goods》

《Occupational Safety and Health Act》(OSHA)

《Toxic Substance Control Act》(TSCA)

《Consumer Product Safety Act》(CPSA)

《Federal Environmental Pollution Control Act》(FEPCA)

《The Oil Pollution Act》(OPA)

《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》(SARA)

《Resource Conservation and Recovery Act》(RCRA)

《Safety Drinking Water Act》(CWA)

《California Proposition 65》

《Code of Federal Regulations》(CFR)

In according with all Federal, State and local laws.

# 16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 **Instability** 0 Physical and **Chemical Properties** 

HMIS Health hazards 0 Flammability 0 Physical hazards 0 **Personal Protection** 

### Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Material Safety Data Sheet** 

KSIGN(Guangdong) Testing Co., Ltd.

KSB TRF No. MSDS R2

West Side of 1/F., Building C, Zone A, Fuyuan New Factory, Jiujiu Industrial Park, Minzhu, Shatou, Shajing, Bao'an District, Shenzhen, Guangdong, China