

ProArt Display PA348CGV



Key Features



UWQHD
3440x1440

The UWQHD resolution is 2.5 times than Full HD, providing much more detailed graphics



More space to spread out your various work windows for more productive multitasking



provides brighter imagery and supports the cinema-standard 98% DCI-P3 color gamut

120Hz
High Refresh Rate

Up to 120 Hz Variable Refresh Rate with FreeSync Premium Pro to optimize fast-rendering scenario*



Factory pre-calibrated with ASUS advanced gray-scale tracking technology to guarantee the ΔE color difference value is less than 2



USB-C connection for DisplayPort, USB data transmission and supports 90W power delivery

HDR
High Dynamic Range

Up to 400 nits brightness with HDR for lifelike contrast & color that brings out details like never before



Desk Mount Kit

A convenient mounting clamp is included to help free up desk space*



Ergonomic Stand

Ergonomically-designed stand with tilt, swivel, pivot, and height adjustments


*FreeSync Premium Pro up to 120 Hz for DisplayPort and USB-C, Adaptive-Sync up to 100Hz for HDMI.

*Desk C-clamp availability may vary by region.



ProArt Display PA348CGV

Spec Sheet

Display	<p>Panel Size : 34-inch (86.36cm) Wide Screen (21:9) Display Viewing Area(HxV) : 799.8 x 334.8 mm Display Surface : Non-Glare Panel Type : IPS Viewing Angle (CR≥10, H/V) : 178° / 178° Pixel Pitch : 0.2325 mm Resolution : 3440x1440 Color Space (sRGB) : 100% Color Space (Rec. 709) : 100% Color Space (DCI-P3) : 98% Brightness (HDR, Peak) : 400 cd/m² / (Typ.) : 350cd/m² Contrast Ratio (Typ.) : 1000:1 Display Colors : 1073.7M (10 bit) Response Time : 2ms (GTG) Refresh Rate (Max) : 120Hz (for DisplayPort and USB-C ports) HDR (High Dynamic Range) Support : HDR-10 Flicker-free : Yes</p>
Video Feature	<p>Trace Free Technology : Yes ProArt Preset : Standard / sRGB / Rec. 709 / DCI-P3 / DICOM / HDR / Scenery / Reading / Rapid Rendering / User Mode 1 / User Mode 2 Color Temp. Selection : Yes (5 modes) Color Adjustment : 6-axis adjustment (R,G,B,C,M,Y) Gamma adjustment : Yes (Support Gamma 1.8/2.0/2.2/2.4/2.6) Color Accuracy : ΔE < 2 ProArt Palette : Yes QuickFit Plus : Yes PIP / PBP Technology : Yes HDCP : Yes, 2.2 VRR Technology : FreeSync™ Premium Pro (for DisplayPort and USB-C ports) Low Blue Light : Yes</p>
Audio Feature	<p>Speaker : Yes (2Wx2)</p>
IO ports	<p>USB-C x 1 DisplayPort 1.4 x 1 HDMI(v2.0) x 2</p> <p>USB Hub : Yes (USB 3.2 Gen 1 Type-A x 4) Earphone Jack : Yes Power Delivery : 90W</p>  <p>The diagram shows the rear panel layout with labels: Earphone Jack, DisplayPort1.4, USB Hub, HDMI (v2.0) x 2, and Full Function USB-C.</p>
Signal Frequency	<p>Digital Signal Frequency : HDMI: 30~151KHz (H) / 30~100 Hz (V) USB-C, DisplayPort: 185~185 KHz (H) / 48~120 Hz (V)</p>
Power Consumption	<p>Power On (Typical): < 29.7W Power Saving Mode : < 0.5W ; Power Off Mode : 0W (Hard Switch) 100-240V, 50/60Hz</p>
Mechanical Design	<p>Tilt : Yes (+23° ~ -5°) Swivel : Yes (+30° ~ -30°)</p> <p>Height Adjustment : 0~115mm VESA Wall Mounting : 100x100mm Kensington Lock : Yes</p>
Dimensions (Est.)	<p>Phys. Dimension with Stand (W x H x D) : 817.6 x (453.9~568.9) x 245 mm Phys. Dimension without Stand (W x H x D) : 817.6 x 368.2 x 68.9 mm Box Dimension (W x H x D) : 930 x 488 x 300 mm</p>
Weight (Est.)	<p>Net Weight with Stand : 12.2 kg Net Weight without Stand : 7.8 kg Gross Weight : 17 kg (WW) / 15.7 kg (NA)</p>
Accessories	<p>Power cord, USB-C cable (optional), HDMI cable (optional), DisplayPort cable (optional), Calibration Report, Quick Start Guide, Warranty Card, Welcome Card, Desk C-clamp (optional)</p>
Compliance Standard	<p>FCC, UL/cUL, ICES-3, CB, CE, ErP, WEEE, TUV-GS, TUV-Ergo, ISO 9241-307, UkrSEPRO, CU, CCC, CEL, BSMI, RCM, AU MEPS, VCCI, PSE, J-MOSS, KC, KCC, e-Standby, PSB, BIS, VN MEPS, Energy Star, TCO, RoHS, CEC, TÜV Flicker Free, TÜV Low Blue Light, VESA DisplayHDR 400, AMD FreeSync Premium Pro</p>

* Power Consumption is measuring a screen brightness of 200 nits without audio / USB / Card reader connection

**All specifications are subject to change without notice

