
ASUS-ATS-750G

ASUS Features

■ ASUS 750W-ATS Gold

The ASUS 750W-ATS Gold power supply, featuring 80 PLUS Gold certification, a dual ball bearing fan, and a 3-year warranty, deliver efficient and durable power to all-round PCs, and gaming rigs.






■ Soft Etched Cable

Made from a pliable premium material, these etched cables are easily flexible during installation, and they operate at temperatures 50˚C lower than the safety limit when routed for cable management. These cables also meet the rigorous standards of the UL1581 flame test and UL758 certification, helping to ensure a smooth PC DIY experience and exceptional safety.

■ Dual Ball Fan Bearings

Exemplary cooling is provided by a 120mm fan spinning on a dual ball bearing setup that will last up to twice as long as a sleeve bearing design.





■ Full Modular Design

Each model comes with fully modular 24-pin motherboard, 6+2-pin PCI-e, and 8-pin CPU cables that have embedded capacitors to reduce voltage ripple.

ASUS-ATS-750G

ASUS Features

■ DIY-friendly CPU Power Cables

Engineered with a distinct clip between the 4+4 pin connectors and a unique color scheme, this CPU power cable simplifies cable identification during installation. The integrated clip helps to ensure a secure and effortless connection to the motherboard's CPU power connector, streamlining the build process and instilling confidence in your PC setup.



■ 80 PLUS Gold Certification

The ASUS 750W-ATS Gold features low-ESR capacitors to ensure efficient operation – affording it 80 PLUS® Gold status.

■ 3-year Warranty

We're so sure about the reliability of the ASUS 750W-ATS Gold that we back it with a 3-year worldwide warranty.

ASUS-ATS-750G

Specification

Model name	ASUS-ATS-750G				
Intel Specification	ATX 12V				
Efficiency	80 Plus Gold				
Protection Features	OPP/OVP/UVP/SCP/OCP/OTP				
Hazardous Materials	ROHS				
AC Input Range	110-240Vac				
Thermal Features	Standard Thermal Solution				
DC Output Voltage	+3.3V	+5V	+12V	-12V	+5Vsb
Maximum Load	20A	20A	62.5A	0.3A	3A
Combined Load	100W		750W	3.6W	15W
Total Output	MAX. 750W				
Connectors	MB 24/20-pin x 1 PCI-E 6+2-pin x 2 CPU 4+4-pin x 2 SATA x 3 Peripheral x 3				
Package Contents (Cable + Accessory)	Power Cord x 1 Motherboard Power Cable x 1 CPU 1-to-2 Cable x 1 PCI-E Cable 1-to-2 x 1 SATA Cable 1-to-3 x 1 Peripheral Cable 1-to-3 x 1 Chassis Screws Package x 1 User Manual x 1				
Dimension					
PSU Size (mm)	140 x 150 x 86 mm				
Color Box (mm)	250 x 180 x 115 mm				
Weight					
Single PSU (KG)	1.529 KG				
Product Weight (KG) (with packing)	2.6 KG				

Note: All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. If you do not use the latest and current specifications of ASUS products, you shall be liable for all loss and damage claimed by third party to ASUS based on false advertising or any other issues caused from using false specifications of ASUS products.

ASUS-ATS-750G

Product Images











