Model name	ASUS-PRO-WS-3000P				
Intel Form Factor	ATX12V				
ATX 3.1	Yes				
Efficiency	80 Plus Platinum				
Protection Features	OPP/OVP/UVP/SCP/OCP/OTP				
Hazardous Materials	ROHS				
AC Input Range	200-240Vac				
Thermal Features	Extruded aluminum heatsinks				
DC Output Voltage	+3.3V	+5V	+12V	-12V	+5Vsb
Maximum Load	25A	25A	250A	0.8A	3A
Combined Load	130W		3000W	9.6W	15W
Total Output	MAX. 3000W				
Connectors	MB 24/20-pin x 1 CPU 4+4-pin x 2 PCIE 5.1 16-pin x 4 PCIE 6+2-pin x 4 SATA x 12 PERIPHERAL x 3				
Package Contents (Cable + Accessory)	Power Cord x 1 Motherboard Power Cable x 1 (610mm) CPU Cable x 2 (1000mm) PCI-E Gen 5.1 16-pin Cable x 4 (750mm) PCI-E 1-to-1 Cable x 4 (750mm) SATA 1-to-3 Cable x 4 (400+120+120mm) Peripheral 1-to-3 Cable x 1 (400+150+150mm) Chassis Screws Package x 1 Cable Tie x 6 User Manual x 1				
Dimension					
PSU Size (mm)	175 x 150 x 86 mm				
Color Box (mm)	342 x 216 x 140 mm				
Weight					
Single PSU (KG)	4.055				
Product Weight (with packing) (KG)	5.092				
Note	* All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. If you do not use the latest and current specifications of ASUS products, you shall be liable for all loss and damage claimed by third party to ASUS based on false advertising or any other issues caused from using false specifications of ASUS products.				

Model name	ASUS-PRO-WS-2200P				
Intel Form Factor	ATX12V				
ATX 3.1	Yes				
Efficiency	80 Plus Platinum				
Protection Features	OPP/OVP/UVP/SCP/OCP/OTP				
Hazardous Materials	ROHS				
AC Input Range	200-240Vac				
Thermal Features	Extruded aluminum heatsinks				
DC Output Voltage	+3.3V	+5V	+12V	-12V	+5Vsb
Maximum Load	25A	25A	183.3A	0.8A	3A
Combined Load	130W		2200W	9.6W	15W
Total Output	MAX. 2200W				
Connectors	MB 24/20-pin x 1 CPU 4+4-pin x 2 PCIE 5.1 16-pin x 4 PCIE 6+2-pin x 4 SATA x 12 PERIPHERAL x 3				
Package Contents (Cable + Accessory)	Power Cord x 1 Motherboard Power Cable x 1 (610mm) CPU Cable x 2 (1000mm) PCI-E Gen 5.1 16-pin Cable x 4 (750mm) PCI-E 1-to-1 Cable x 4 (750mm) SATA 1-to-3 Cable x 4 (400+120+120mm) Peripheral 1-to-3 Cable x 1 (400+150+150mm) Chassis Screws Package x 1 Cable Tie x 6 User Manual x 1				
Dimension					
PSU Size (mm)	175 x 150 x 86 mm				
Color Box (mm)	342 x 216 x 140 mm				
Weight					
Single PSU (KG)	4.025				
Product Weight (with packing) (KG)	5.062				
Note	* All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. If you do not use the latest and current specifications of ASUS products, you shall be liable for all loss and damage claimed by third party to ASUS based on false advertising or any other issues caused from using false specifications of ASUS products.				

ASUS_Confidential

Model name	ASUS-PRO-WS-1600P				
Intel Form Factor	ATX12V				
ATX 3.1	Yes				
Efficiency	80 Plus Platinum				
Protection Features	OPP/OVP/UVP/SCP/OCP/OTP				
Hazardous Materials	ROHS				
AC Input Range	200-240Vac				
Thermal Features	Extruded aluminum heatsinks				
DC Output Voltage	+3.3V	+5V	+12V	-12V	+5Vsb
Maximum Load	25A	25A	133.3A	0.8A	3A
Combined Load	130W		1600W	9.6W	15W
Total Output	MAX. 1600W				
Connectors	MB 24/20-pin x 1 CPU 4+4-pin x 2 PCIE 5.1 16-pin x 2 PCIE 6+2-pin x 4 SATA x 9 PERIPHERAL x 3				
Package Contents (Cable + Accessory)	Power Cord x 1 Motherboard Power Cable x 1 (610mm) CPU Cable x 2 (1000mm) PCI-E Gen 5.1 16-pin Cable x 2 (750mm) PCI-E 1-to-1 Cable x 2 (750mm) PCI-E 1-to-2 Cable x 1 (750+100mm) SATA 1-to-3 Cable x 3 (400+120+120mm) Peripheral 1-to-3 Cable x 1 (400+150+150mm) Chassis Screws Package x 1 Cable Tie x 6 User Manual x 1				
Dimension					
PSU Size (mm)	175 x 150 x 86 mm				
Color Box (mm)	342 x 216 x 140 mm				
Weight					
Single PSU (KG)	3.365				
Product Weight (with packing) (KG)	4.402				
Note	* All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. If you do not use the latest and current specifications of ASUS products, you shall be liable for all loss and damage claimed by third party to ASUS based on false advertising or any other issues caused from using false specifications of ASUS products.				

ASUS_Confidential