



Part No	90CB0A71-M003Y0
Sales Model Name	CX9406CAA-DR0110
EAN Code	4711636750882
UPC Code	199291750883
WEEE	0.465
BASE UNIT	VSCB0A71-BU1200
Operating System	ChromeOS
Office	N/A
LCD cover-material	Mg-Al
LCD cover-color	Grey
Top case-material	Mg-Al
Top case-color	Grey
Bottom case-material	Mg-Al
Bottom case-color	Grey
Military grade	US MIL-STD 810H military-grade standard
Panel Size	14.0-inch
Backlit	LED Backlit
OLED	OLED
Brightness	450nits
Resolution	WQXGA+ (2880 x 1800) 16:10
Glare	Anti-glare display with Corning Gorilla® Glass
Color gamut	DCI-P3: 100%
View angle(H/V)	89/89
Response time(Typ/Max) (ms)	1/1
Refresh rate	120Hz
Contrast (Typ)	100000:1
Touch Panel	Touch screen
Screen-to-body ratio	91 %
Pantone	Pantone Validated
Processor	Intel® Core™ Ultra 7 Processor 355 2.3 GHz (12MB Cache, up to 4.7 GHz, 8 Cores, 8 Threads); Intel® AI Boost NPU up to 49 TOPS
Neural processor	Intel® AI Boost NPU
Chipset	N/A
Discrete/Share	Share
Integrated GPU	Intel® Graphics

VRAM	N/A
How to upgrade memory	Not Available
Expansion Slot(includes used)	1x M.2 2280 PCIe 4.0x4
On board memory	16GB LPDDR5X on board
Total System Memory	LPDDR5X 16GB
Storage	256GB M.2 2280 NVMe™ PCIe® 4.0 SSD
Front-facing camera	1080p FHD camera With privacy shutter
On board Wireless	Wi-Fi 7(802.11be) (Triple band) 2*2 + Bluetooth® 6.0 Wireless Card
NumberPad	N/A
FingerPrint	FingerPrint
Keyboard type	Backlit Chiclet Keyboard
Keyboard language	French
I/O ports	2x USB 3.2 Gen 2 Type-A 2x Thunderbolt™ 4, compliant with USB4, support display 1x HDMI™ 2.1 TMDS 1x 3.5mm Combo Audio Jack
Audio	Dolby Atmos Built-in speaker Built-in array microphone
Battery	70WHrs, 4S1P, 4-cell Li-ion
AC Adapter	W/O ADAPTER & W/O POWER CORD. For optimal performance, we recommend using ASUS USB-C charger that supports USB Power Delivery (PD) with a minimum output of 65W.
Required charging power	Min: 55W Max: 65W *The indicated wattage is for demonstrating the system's support capability as required by EU regulations. For optimal system performance, please use the standard-wattage adapter or higher.
Dimension (WxHxD)	31.09 x 21.28 x 1.09 ~ 1.64 cm (12.24" x 8.38" x 0.43" ~ 0.65")
Starting Weight (with Battery)	0.99 kg (2.18 lbs)
Starting Weight (w/o Battery)	0.73 kg (1.61 lbs)
Security	Fingerprint sensor integrated with Power Key Intel® BIOS Guard Intel® Boot Guard Support Absolute Persistence 2.0 (Computrace) Platform Firmware Resiliency Support N/A
Antivirus	N/A
Built-in Apps	MyASUS
Disclaimer for Built-in Apps	Built-in Apps vary from OS SKU. *MyASUS/McAfee don't support in Clean Build/without OS/G sku/Win SE/Windows on ARM/Linux OS (ex. Endless, Kylin, Ubuntu)
Reparability Index (for Belgium)	09.9
Reparability Index (for France)	09.8
Ecolabels & Compliances	TCO Certified EPEAT Gold Energy star 9.0 FSC Mix RoHS REACH
Base Warranty	3Y Pick up/ return

Recommended Warranty Package Part number//Extension and/or upgrade service from base warranty	*If you would like to know the details, please contact your sales teams.
Sustainable Material_Top cover(A part)	90% PIR recycled aluminum
Sustainable Material_Panel frame (B part)	30% PCR recycled plastic
Sustainable Material_Keyboard frame (C part)	90% PIR recycled aluminum
Sustainable Material_Bottom cover (D part)	90% PIR recycled aluminum
Sustainable Material_Battery	30% PCR recycled plastic
Sustainable Material_Keyboard	50% PCR recycled plastic cap
Sustainable Material_Speaker	45% PCR + 5% OBP PCR recycled plastic enclosure

