



RT-AX89X 12-stream AX6000 Dual Band Wi-Fi 6 (802.11ax) Router

- Next-Gen Wi-Fi 6 Standard 802.11ax Wi-Fi standard for better efficiency and throughput.
- Ultrafast Wi-Fi Speed 12-stream 6000Mbps Wi-Fi speed to handle even the busiest network.
- Wider Usage and More Convenience 8 antennas + 8 LAN ports to support more clients at the same time.
- Dual 10G WAN/LAN ports Enjoy up to 10Xfaster data-transfer speeds for bandwidthdemanding tasks with 10GBase-T and 10G SFP+ networking technology port.
- Commercial-grade Security AiProtection Pro, powered by Trend Micro[™], blocks internet security threats for all your connected smart devices.
- Better Partner with Mesh System Compatible with ASUS AiMesh Wi-Fi system for seamless whole-home coverage.



Warp-speed Wi-Fi

RT-AX89X is a 8x8 dual-band Wi-Fi router that provides 1024-QAM for dramatically faster wireless connections. With a total networking speed of about 6000Mbps — 1148Mbps on the 2.4GHz band and 4804Mbps on the 5GHz band — RT-AX89X is up to 2.8X faster than 802.11ac 4x4 dual-band routers.



*The data refer to 5GHz/bandwidth 80MHz

More LAN Ports for More Convenience

Eight Gigabit LAN ports make RT-AX89X the ideal solution if you have multiple wired devices, such as NAS systems, PCs and switches. And, if you ever want to host a LAN party at home, RT-AX89X makes it possible.



Ultra-fast Wired Speed

The RT-AX89X comes with two 10G LAN/WAN ports, one Base-T and SFP+ port, which means both fiber and copper 10G connections are supported. Capture ISP advertised speeds or use your own 10G LAN network between PCs and NAS.





Wireless that's as Stable as Wired Ethernet

When you are far away from your router, enjoying the stability of a wired network connection is usually impractical or impossible. With special designed antennas, RT-AX89X provides wide coverage and a stable signal, letting you enjoy a reliable and smooth connection for gaming or work anywhere in your home.

Extreme 2.2GHz quad-core Power

RT-AX89X features a top-of-the-line 2.2 GHz quadcore CPU that is more powerful than many desktop processors. With its incredible performance, RT-AX89X maximizes throughput for the best networking performance, accelerates USB data transfers and more.

In most cases, your RT-AX89X can deliver smooth, reliable Wi-Fi to every part of your home. But Wi-Fi coverage can be affected by many factors — room layout, construction materials, and even furnishings. ASUS AiMesh is an innovative new router feature that fixes these problems: it creates a whole-home Wi-Fi network using multiple ASUS routers. AiMesh is powerful, flexible and you can use a mix of ASUS router models — protecting your investment! AiMesh gives you time-saving central control, and seamless roaming capability. AiMesh is Wi-Fi you can rely on — for all your devices, all the time!

Powerful Whole-home Wi-Fi System











Built for Multi-device Households

With a revolutionary combination of OFDMA and MU-MIMO technology, 802.11ax technology provides up to 4X greater network capacity and efficiency in traffic-dense environments. Previous-generation 802.11ac Wi-Fi can only handle one device at a time on each network channel, which is an inefficient use of available bandwidth. OFDMA support in the 802.11ax Wi-Fi standard divides each channel into small sub-channels, allowing signals from multiple devices* to be bundled together and transmitted simultaneously, reducing latency for a smoother, more responsive Wi-Fi experience.



802.11ax OFDMA Bandwidth fully utilized - Lower latency

Commercial-grade Security for your Home Network

RT-AX89X has lifetime free AiProtection Pro, powered by Trend Micro[™] with automatic, regularly updated security signatures to protect your devices and personal data from internet threats. This strong security offers advanced parental controls, including the ability to block specific websites and mobile app types.







Specifications

Network Standard	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ac, IEEE 802.11ax
Product Segment	AX6000 ultimate AX performance
Coverage	Very large homes
Data Rate	802.11a/g : 6,9,12,18,24,36,48,54 Mbps 802.11b : 1, 2, 5.5, 11 Mbps 802.11n : up to 600 Mbps 802.11ac (2.4GHz) : up to 1000 Mbps 802.11ac (5GHz) : up to 4333 Mbps 802.11ax (2.4GHz) : up to 1300 Mbps 802.11ax (5GHz) : up to 4804 Mbps
Antenna	External antenna x 8
Transmit/Receive	2.4 GHz 4x4; 5GHz 8x8
Memory	256MB Flash, 1G RAM
Operating Frequency	2.4GHz, 5 GHz
Encryption	WPA2-PSK, WPA-PSK, WPA-Enterprise, WPA2-Enterprise, WPS support
Management	UPnP, IGMP v1/v2/v3, DNS Proxy, DHCP, NTP Client, DDNS, Port Trigger, Port Forwarding, DMZ, System Event Log
VPN Support	IPSec Pass-Through; PPTP Pass-Through;L2TP Pass-Through;OpenVPN server
	PPTP client;L2TP client; OpenVPN client; PPTP server
WAN Connection Type	Internet connection type : Automatic IP, Static IP, PPPoE(MPPE supported), PPTP, L2TP
Ports	RJ45 for Gigabits BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN x 8; USB 3.1Gen1 x2 ;
	SPF+ for WAN/LAN x1 ; 10G BaseT for WAN/LAN x 1
Features	Router app ; MU-MIMO; Traffic Analyzer; Adaptive QoS; AiProtection Pro; Parental Control; Guest Network; VPN server ;VPN client; Enhanced media server AiCloud ;3G/4G data sharing; Printer Server; Download Master; AiDisk file server; IPTV support ; Roaming Assist; OFDMA;
Button	Reset , WPS, Power, Wi-Fi
	Windows® 10
OS Support	Windows® 8.1 Windows® 8
	Windows [®] 7 Mac OS X 10.1 to 10.12

^{© 2019} ASUSTeK Computer Inc. All rights reserved. Specifications, content and product availability are all subject to change without notice and may differ from country to country. Actual performance may vary depending on applications, usage, environment and other factors. Full specifications are available at http://www.asus.com





Specifications

Dimensions	343.64 x 343.64 x 80.02 mm (WxDxH)
LED Indicator	Power x 1
	LAN x 1,WAN x 1
	2.4GHz x1, 5GHz x1
	SPF+ x1, 10GE x1
Router Special Features	Parental Control, AiCloud, Printer server, Download Master, AiDisK
Operation mode	Wireless router mode
	Access point mode
	Media bridge mode
	Repeater mode