



VICTROLA VTA-820SB,VTA-825SB Century Light Brown Instruction Manual

[Home](#) » [Victrola](#) » VICTROLA VTA-820SB,VTA-825SB Century Light Brown Instruction Manual 

VICTROLA



CENTURY
INSTRUCTION MANUAL

Contents

- 1 UNPACK
- 2 PREPARE MUSIC CENTER
- 3 GETTING STARTED
- 4 PLAYING A RECORD
- 5 BLUETOOTH MODE
- 6 PLAYING A CD
- 7 PLAYING A CASSETTE
- 8 PLAYING AN EXTERNAL DEVICE (AUX)
- 9 RCA & HEADPHONE OUTPUT
- 10 SPECIFICATIONS
- 11 SAFETY WARNINGS
- 12 FCC & IC WARNINGS
- 13 LIMITED WARRANTY
- 14 Documents / Resources
 - 14.1 References

UNPACK

LOCATE THE FOLLOWING ITEMS

1. Music center
2. Feet (x4)
3. Power adapter
4. Legs (x4)




**Included with the Century+ (VTA-825SB) or sold separately.*

PREPARE MUSIC CENTER

INSTALLING FEET / LEGS

1. Carefully turn music center upside down while holding lid closed.
2. Insert feet / legs into the 4 corner brackets. Rotate clockwise until tightened.
3. Carefully turn music center right side up while holding lid closed.




OPENING AND CLOSING THE LID

1. OPEN: Raise the lid to the fully open position.
Lightly pull the hinge forward and gently lower the lid until the hinge is latched.
2. CLOSE: Raise the lid slightly and lightly push the center of the hinge to unlatch. Gently Lower lid.



PLACE MUSIC CENTER ON A FLAT AND LEVEL SURFACE

1. Remove all packaging materials.
2. Plug in power adapter.
3. Remove tonearm twist tie.
4. Remove tape and clear stylus cover.



GETTING STARTED

MULTI-FUNCTION KNOB

1. Press and hold to power ON / OFF.
2. single press to switch modes:
 - VINYL
 - VINYLSSTREAM™ (BLUETOOTH OUTPUT)
 - BLUETOOTH (INPUT)
 - COMPACT DISC
 - CASSETTE
 - AUX
3. Rotate knob to adjust volume.



MULTI-FUNCTION KNOB

PLAYING A RECORD

VINYL MODE – INTERNAL SPEAKERS / RCA / HEADPHONES:

1. Enter VINYL mode, the volume of the internal speakers is controlled by rotating the multi-function knob. For RCA / Headphone output information, see section 9.

VINYSTREAM MODE – PAIR BLUETOOTH SPEAKER OR HEADPHONES:


1. Enter VINYSTREAM (Bluetooth output) mode, the music center will automatically enter pairing mode. LED: Flashes white.
2. Make sure your Bluetooth device is in pairing mode.
3. Music center will automatically pair to your Bluetooth device.
4. Once paired, the LED will turn solid white.

Note: Volume is controlled by Bluetooth device.

BASIC OPERATION


1. Unlatch the tonearm.
2. Raise the tonearm using the lift lever.
3. Use the finger lift to align the stylus over the record.
4. Lower the tonearm using the lift lever to begin playing.

Note: At the end of the record, music center will automatically stop spinning. Use the lift lever to return the tonearm to the resting position.



ADJUSTING RECORD SPEED

1. Use the speed switch next to tonearm to adjust the record speed between 33 1/3 RPM (default), 45 RPM, and 78 RPM.



PLAYING A 7" RECORD

1. Locate the 45 RPM adapter.
2. Place the adapter over the center spindle.
3. Select correct speed.
4. Place record over adapter, begin playback.



BLUETOOTH MODE

BLUETOOTH MODE – PAIR BLUETOOTH DEVICE:

1. Enter BLUETOOTH mode, the music center will automatically enter pairing mode. LED: Flashes white.
2. On your device, turn on Bluetooth and select "Victrola Century" in the available device list.
3. Once paired, the LED will turn solid white.

Note: Most devices support the use of the music center's play/pause, previous, and next buttons.

PLAYING A CD

BASIC OPERATION

1. Enter COMPACT DISC mode.
2. Press the open/close button to open the CD tray.
Insert a CD into tray and press open/close to close.
Playback will automatically begin.
3. Press the play/pause button to start and stop the CD.
4. Use the previous and next buttons to change tracks.
5. Press and hold the previous and next buttons to rewind and fast forward.



REPEAT / SHUFFLE

1. Press the repeat button to cycle through different CD modes:
REP 1: Repeats a single track
REP ALL: Repeats entire CD
RAN: Shuffles CD tracks


PLAYING A CASSETTE

BASIC OPERATION

1. Enter CASSETTE mode.
2. Insert cassette, playback will automatically begin.

CASSETTE BUTTON

1. Press halfway down to fast forward.
Press again lightly to resume playback.
2. Press down all the way to end playback and eject tape.
Note: To rewind a side, eject and flip the tape to the other side and fast forward.



PLAYING AN EXTERNAL DEVICE (AUX)

BASIC OPERATION

1. Enter AUX mode.
2. Connect an external device to the 3.5mm aux jack on the front of the music center and begin playback on external device.

Note: Most devices support the use of the music center's play/pause, previous, and next buttons.

RCA & HEADPHONE OUTPUT

RCA OUTPUT

- Connect the music center to external speakers using an RCA cable (not included).
RED PLUG – Insert into the RED (RIGHT) JACK
WHITE PLUG – Insert into the WHITE (LEFT) JACK
- Lower volume of the internal speakers and control volume from the external speakers.

HEADPHONE OUTPUT

- Use the phones jack on the front of the music center to connect headphones / earbuds.
Lower the volume before connecting headphones and increase as needed.


REPLACING THE STYLUS

REMOVING THE STYLUS FROM THE TONEARM:

1. Place your fingers at the tip of the stylus and push down to the direction "A".
WARNING: When applying force to stylus, too much may damage ! or break the cartridge.
2. Pull the stylus out toward the direction "B".

INSTALLING THE STYLUS: (Replacement Stylus # ITNP-LC1)

1. Hold the tip of the stylus and insert the other edge by pressing toward direction "G".
2. Push the stylus up toward direction "D" until it locks at the tip.



CAUTION:

- Do not bend or force the stylus into the cartridge.
- Do not touch the stylus needle to avoid injury to your hand.
- Turn off the unit's power before you replace the stylus.
- Keep out of reach of children.

NOTE: The stylus should last about 300 hours under normal use.

It is recommended that the stylus be replaced as soon as you notice a change in sound quality. 78 RPM records may accelerate stylus wear and may have to be changed sooner.

ADJUSTING LED ILLUMINATION

1. Press and hold the repeat button for 3 seconds to enter illumination adjustment mode.
2. Single press the repeat button to cycle through the illumination modes:
 - HI** (default): High illumination on LED screen and LEDs.
 - LO**: Low illumination on LED screen and LEDs.
 - OFF**: LEDs off except when needed for basic operation.
3. The setting will save automatically after 3 seconds.

FACTORY RESET

Enter BLUETOOTH mode, press and hold the open/close button for 5 seconds.

All source mode LEDs will flash 3 times when the factory reset is complete.

Note: Factory reset removes all paired Bluetooth devices and resets LED illumination to the factory default.

SPECIFICATIONS

GENERAL

DIMENSIONS (MAINUNIT)	779" H x 16.14" W x 14.92" D 198mm H x 410mm W x 379mm D
HEIGHT WITH FEET	9,447 H / 240mm H
HEIGHT WITH LEGS	25.4" H /645mm H
WEIGHT (MAINUNIT)	15.27 lbs / 6.93 kg
WEIGHT WITH FEET	15.45 1bs / 7 kg
WEIGHT WITH LEGS	17.21bs / 7.8 kg

POWER (AC/DC ADAPTER)

INPUT	100-240V ~ 50/60Hz
OUTPUT	12V/1.0A
POWER CONSUMPTION	12.0W

TURNTABLE

SPEEDS	33-1/3,45, & 78 RPM
REPLACEMENT STYLUS	ITNP-LC1

BLUETOOTH

BLUETOOTH VERSION	Bluetooth V5.2
SUPPORTED PROFILES	A2DP, AVRCP
OPERATING DISTANCE	10 meters (33 ft)

INCLUDED:

Century, 45 RPM adapter, Power adapter,
Instruction manual, Feet, Legs® ('only with VTA-82558)

Please note: As a result of continual improvements, the design and specifications of this product are subject to change without notice.

Bluetooth is a registered trademark of Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners.

Made In China.

SAFETY WARNINGS

Please read safety instructions and respect the following warnings before the appliance is operated:

TO PREVENT FIRE OR SHOCK HAZARD, DO NOT USE THIS PLUG WITH AN EXTENSION CORD, RECEPTACLE OR OTHER OUTLET UNLESS THE BLADES CAN BE FULLY INSERTED TO PREVENT BLADE EXPOSURE. TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.



The lightning flash with arrowhead within an equilateral triangle is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be sufficient magnitude to constitute a risk of electric shock.

CAUTION

RISK OF ELECTRIC SHOCK. DO NOT OPEN.

CAUTION: TO PREVENT RISK OF ELECTRIC SHOCK, DO NOT REMOVE COVER (OR BACK). NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PROFESSIONAL.



The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying this appliance.

- Always follow basic safety precautions when using this appliance, especially when children are present.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not damage the power cord, neither do not place any heavy objects on it, do not stretch it or bend it. Also do not attach extension cables. Damage to the power cord may occur fire or electric shock.
- If the supply cord is damaged, it must be replaced by the manufacturer, a service agent or similarly qualified persons in order to avoid a hazard.
- Ensure that the unit plugged into an AC 100-240V 50/60Hz power outlet. Using higher voltage may cause the unit to malfunction or even catch fire.
- If the power plug does not fit into your outlet, do not force the plug into an electrical socket if it does not fit.
- Turn off the unit before unplugging it from the power source to completely switch it off.
- Do not disconnect or connect the power cord with wet hands. It may cause an electrical shock.
- Ensure that the main plug is always easily accessible.
- This product does not contain any parts that are serviceable by the user. In case of a fault, contact the manufacturer or authorized service department. Exposing the internal parts inside the device may endanger your life. The manufacturers guarantee does not extend to faults caused by repairs carried out by the unauthorized third parties.
- Ensure this product is used in moderate climates only (not in tropical/subtropical climates).
- Place product on a flat, stable surface that is not subject to vibrations.
- Ensure the product and its parts are not overhanging the edge of the supporting furniture.
-  To reduce the risk of fire, electric shock or damage to this product, do not expose it to direct sunlight, dust, rain and moisture. Never expose it to dripping or splashing and do not place objects filled with liquids on or near the product.
- Do not place objects filled with liquids, such as vases, on the apparatus.
- Do not install near any heat sources such as radiators, heat registers, stoves or other apparatus (including amplifiers) that produce heat.
- Do not place the product where the humidity is high and ventilation is poor
- Do not mount this product on a wall or ceiling.
- Do not place the unit near TV's, speakers and other objects that generate strong magnetic fields.
- Do not leave the unit unattended when in use.

Allow at least 30cm clearance from the rear and the top of the unit and 5cm from each side. Always ensure that

the ventilation openings are not covered with items such as newspapers, tablecloths, curtains, etc.

- NEVER let anyone, especially children, push anything into holes, slots or any other openings in the unit's casing as this could result in a fatal electric shock.
- Storms are dangerous for all electric appliances. If the main or aerial wiring is struck by lightning, the appliance might get damaged, even if it turned off. You should disconnect all the cables and connectors of the appliance before a storm.

SAFETY WARNINGS

- Excessive sound pressure from headphones can cause hearing loss.
- Do not cover ventilation openings, this is not intended to be used on soft support.



WARNING: Invisible laser radiation when open and interlock failed or defeated.

Avoid direct exposure to laser beam.

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or an equivalent type.

MAINTENANCE:

- Unplug the power cable from the power source before cleaning the appliance.
- Use a soft clean rag to clean the outside of the unit. Never clean it with chemicals or detergent.

POWER ADAPTER:

- To disconnect the unit from the main supply, unplug the lead from the main socket.
 - Only use the supplied main adapter, as failure to do this may result in a safety risk and/or damage to the unit.
- The main plug of power adapter is used as the disconnect device. The socket-outlet shall be installed near the equipment and shall be easily accessible.

	AC Voltage
	DC Voltage
	Class II equipment
	For indoor use only
	Energy Efficiency marking with level VI
	Polarity of D.C. power connector

- The shown above appears on electrical and electronic equipment (or the packaging) to remind users of this.
- Users are requested to use existing return facilities for used equipment and batteries.



FCC & IC WARNINGS

FCC STATEMENTS

Caution: the user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC rules and Innovation, Science and Economic Development Canada's license-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC & IC RADIATION EXPOSURE STATEMENT:

This equipment complies with FCC and Canada radiation exposure limits set forth for an uncontrolled environment. This device complies with RSS247 of Industry Canada. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

LIMITED WARRANTY

Victrola is a registered trademark of Innovative Technology Electronics, LLC.

United States

For detailed information about our warranty policy and limitations visit victrola.com/pages/warranty



Outside the U.S., Canada, and US Territories

The Warranty on this product shall comply with applicable law when sold to a consumer outside of the United States, Canada, and US Territories.

To obtain any applicable warranty service, please contact the dealer from which you purchased the product, or the distributor that supplied the product, with your original receipt.

Canada and US Territories

The Warranty on this product shall comply with applicable law when sold to a consumer in Canada or a US Territory. To obtain any applicable warranty service, please contact the dealer from which you purchased the product, or the distributor that supplied the product, with your original receipt.

If assistance from the dealer from which it was purchased is not possible, you may contact our customer service

for warranty assistance at victrola.com/contact.

CUSTOMER SUPPORT
VICTROLA.COM/PAGES/CUSTOMER-CARE
support@victrola.com
(877)483-2497

Documents / Resources

 VICTROLA CENTURY	VICTROLA VTA-820SB,VTA-825SB Century Light Brown [pdf] Instruction Manual 957315, VTA-820SB_825SB, VTA-820SB VTA-825SB Century Light Brown, VTA-820SB VTA-825SB, Century Light Brown, Light Brown
--	--

References

- [User Manual](#)

Manuals, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.