

裁切线	辅助线
压痕线	牙刀
V槽线	画线
半穿刀	

■ 外表面视图	□ 内表面视图
---------	---------

UGREEN 绿联

磁吸无线充电移动电源
Magnetic Wireless Power Bank

Model: PB560

前言

尊敬的用户,感谢您选购绿联产品,为了您能更一步地了解产品,请您仔细阅读本说明书,祝您使用愉快!

重要提示

本产品兼容苹果原装或 UGREEN 磁吸手机保护套,使用其他品牌保护套可能会影响磁吸充电。

为产品的设备充电

无线充电

1. 为支持磁吸无线充电功能的 iPhone 充电

“闪烁”说明:
开灯: 磁吸无线充电功能已开启
灭灯: 检测到金属异物经过

“有线快充”

“小电流充电”

“LED 指示灯”

安全警示

1. 请勿将本产品暴露在高温环境中或靠近热源使用,如汽车、日光灯管、取暖器、微波炉、烤箱等高温环境,可能引起爆炸。
2. 请勿将本产品靠近易燃物品,以免引起火灾。
3. 严禁将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
4. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
5. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
6. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
7. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
8. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
9. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
10. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
11. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
12. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
13. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
14. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
15. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
16. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
17. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。

产品参数

产品型号	PB560
产品尺寸	110.5 x 68.2 x 13.1 (mm)
USB-C 输入	5V= 3A/9W=1.67A
USB-C 输出	5V= 3A/9W=1.67A, 15W Max
总输出功率	5V= 3A Max
无线输出功率	7.5W Max
额定容量	2800mAh (TPP 5V 2.4A)
额定能量	18.5Wh (3.7V 5000mAh)
充电电压限制电压	4.35V
充电时长	约 2.5 小时 (使用 PD 20W 充电器)
无线充电原理	通过电磁感应方式实现近距离无线充电传输
无线充电功率	110mAh-148.5mAh
使用环境温度	0°C-40°C
储存环境温度	0°C-50°C
产品重量	约 80g (含外壳)

注意事项

1. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
2. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
3. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
4. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
5. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
6. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
7. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
8. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
9. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
10. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
11. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
12. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
13. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
14. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
15. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
16. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。
17. 请勿将本产品放入任何可能产生静电的环境中,如干燥的衣物、地毯、毛毯等。

版本	变更日期	变更描述	设计者
A01	2023/08/15	初始发行	庄慧宇
A02	2024/04/8	增加3C警示语内容, 改文案、改风格	庄慧宇
A03	2024/7/9	参数更新、改文案	曾爽
A04	2024/7/18	删除参数处*号, 更新部分字体, 更新印刷颜色	曾爽
A05	2025/01/06	改菲林/警告语/排版	庄慧宇
A06	2025/03/04	修改P4/P9页错位	庄慧宇
A06	2025/09/25	删除产品名容量	刘琪

Preface

Thank you for purchasing UGREEN products. For optimum operation, please read this manual carefully before use.

Cautions

This product is compatible with official MagSafe cases from Apple or magnetic cases from UGREEN. Using other cases may affect magnetic charging.

Do not place metal objects (such as paper clips, or coins) or magnetic cards in the charging area to avoid abnormal charging.

First Use

Tip:
Please fully charge the product before initial use.
It is recommended to use a charger of PD 20W or higher for the fastest charging experience.

Charging Your Devices

Wireless Charging

1. Charge an iPhone that supports magnetic wireless charging

2. Charge other phones that support wireless charging

Wired Charging

Trickle Charging

LED Indicator

Battery Indicator

- ● ● ● 0% - 25%
- ● ● ● 25% - 50%
- ● ● ● 51% - 75%
- ● ● ● 76% - 100%

Solid
Magnetic wireless charging function is enabled

Flashing
Metal foreign object detected

Specifications

Model	PB560
Product Name	Magnetic Wireless Power Bank
Dimensions	110.5 x 68.2 x 13.1 (mm) / 14.2 x 8.7 x 1.6 (in)
USB-C Input	5V= 3A/9W=1.67A
USB-C Output	5V= 3A/9W=1.67A, 15W Max
Total Output	5V= 3A Max
Wireless Charging Output Power	7.5W Max
Battery Type	Polymer Lithium-Ion Battery
Rated Capacity	2800mAh (TPP 5V 2.4A)
Rated Energy	18.5Wh (3.7V 5000mAh)
Battery Charging Limited Voltage	4.35V
Charging Time	About 2.5 hours (with PD 20W charger)
Wireless Charging Principle	Transmitting wireless electrical power over short distance through electromagnetic induction
Wireless Charging Working Frequency	110kHz-68.5kHz
Operating Temperature	0°C-40°C (32°F-104°F)
Storage Temperature	0°C-50°C (32°F-122°F)
Package Contents	1 x Power Bank, 1 x Charging Cable, 1 x User Manual

WARNING

1. Do not expose the product to excessive temperature or areas that may become hot, such as vehicles, sun exposure, heaters, microwave ovens, ovens, etc., otherwise, it may cause an explosion.
2. When using a power adapter to charge the product, please ensure that it is CCC-certified and meets the standard requirements.
3. Do not use unverified or incompatible power adapters and charging cables, as doing so may cause fire, explosion, or other hazards.
4. Do not store the product in a non-ventilated space for a long time, such as handbags, the confined space may cause fire or other dangers.
5. Please dispose of this product according to local laws and regulations rather than as household waste. Improper disposal may result in an explosion.
6. Do not use this product during thunderstorms to avoid product failure or risk of electric shock.
7. During use, the temperature of the product will be slightly higher than room temperature, which is normal. It is recommended not to contact it for more than 10s.
8. This product features multiple protections. When internal temperature and other parameters reach the threshold, the product will automatically reduce output power.
9. This product has a built-in battery. Do not disassemble, fix, crush, or throw it into the fire.
10. Discontinue use immediately if the battery is severely swollen.
11. Do not use it in a high-temperature environment.
12. Do not use the battery if it is immersed in water.
13. The battery is hazardous. Please keep the product out of the reach of children.
14. Dispose of or recycle dead battery properly according to local laws and regulations.
15. If the battery is swallowed, it can cause severe internal burns in just 2 hours and can lead to death. If you think battery might have been swallowed or placed inside any part of the body, seek immediate medical attention.
16. Please store this product in a dry place, at room temperature.
17. Retain the original product literature for future reference.

Notes

1. Do not use the multi-in-one data cable to charge multiple devices at the same time.
2. For the best charging experience, it is recommended to use the UGREEN charging cable or charger.
3. If the product is not used for a long time, please store it in a dry environment. To ensure the service life of the battery, please fully charge and discharge the product at least once every 3 months.
4. This product complies with relevant regulations such as the national "Interim Regulations on Radio Management of Wireless Charging (Power Transmission Equipment)", laws and regulations on product quality, electromagnetic radiation, electrical safety, and national standards.
5. Do not change the usage scenario or conditions, expand the operating frequency range, or increase the transmission power (including the installation of additional power amplifiers) without authorization.
6. Shall not cause harmful interference to other legal radio services and stations, nor shall make claims for protection against radio interference or radiation of radio waves. In case of causing harmful interference to other legal radio services and stations, use should be immediately stopped, and can only be resumed after taking measures to eliminate the harmful interference.
7. Do not use the wireless charging function in areas where wireless charging devices are prohibited.
8. If the use of a wireless charging device affects the reception of broadcasting services, it should be stopped immediately.
9. The use of wireless charging devices in ships, aircraft, and railway locomotives (including multiple-unit trains) shall comply with the regulation and the relevant regulations of the industry regulatory authorities.

- 备注:
1. 材质: 80g哑粉纸
 2. 印刷颜色: 1C
 3. 展开尺寸: 360x170mm
 4. 成品尺寸: 60x85mm
 5. 成型工艺: 风琴折
 6. 尺寸公差: ±1mm
 7. 所有成品及辅料符合欧盟包装指令94/62/EC,美国TPCH,欧盟REACH
 8. 印刷油墨 (成品) 矿物油含量需满足MOSH(C15-C36)小于0.1%; MOAH (1-7芳香环) 小于0.1%; MOAH (3-7芳香环) 小于0.0001%

SELECT	V									SCALE	UGREEN 绿联 深圳市绿联科技股份有限公司				
Dim	TOL.	A	B	C	EPS	EPE	EPP	BAG	CTN	LABEL	1:1	物料名称: PB560 25207说明书			
0~6		0.05	0.05	0.10						0.20	SHEET 1/1	产品名称	料号	项目工程师	核准
6~30		0.10	0.15	0.20	0.50	0.50	0.50	3.00	0.20						
30~120		0.15	0.20	0.30	0.50	0.50	0.50	5.00	1.00	0.25	UNIT mm	磁吸移动电源	张伟萍	陈雨霜	
120~300		0.20	0.30	0.40	1.00	1.00	1.00	10.00	1.00	0.30					
300~450		0.25	0.40	0.50	2.00	2.00	2.00	15.00	2.00	0.50					
450~600		0.30	0.50	0.60	3.00	3.00	3.00	20.00	3.00	0.80					
DRAFT TOLERANCE				± 0.20*		CRITICAL DIM. MARK				*					