



IT - Installazione con motore sulla cappa.  
 EN - Installation with motor on the hood.  
 DE - Installation mit Motor an der Haube.  
 FR - Installation avec moteur sur la hotte.  
 ES - Instalación con el motor en la campana.  
 RU - Установка с двигателем на вытяжке.  
 PL - Instalacja z silnikiem na okapie.  
 NL - Installatie met motor op kap.


PT - Instalação com motor na capa.  
 DK - Installation med motoren på emhætten.  
 SE - Installation med motor på fläkthuven.  
 FI - Asennus moottori liesituulettimen päällä.  
 NO - Installasjon med motor på hetten.

pag.  
 Seite  
 str.  
 sivu

10



NUBE: 32 KG



IT - Installazione con motore SLIM.

EN - Installation with SLIM motor.

DE - Installation SLIM-Motor.

FR - Installation avec moteur SLIM.

ES - Instalación con motor SLIM.

RU - Установка с двигателем SLIM.

PL - Instalacja z silnikiem SLIM.

NL - Installatie met SLIM motor.

PT - Instalação com motor SLIM.

DK - Installation med motoren SLIM.

SE - Installation med SLIM-motor.






FI - Asennus SLIM-moottorilla.

NO - Installasjon med SLIM-motor.

pag.  
Seite  
str.  
sivu


page  
cstr.  
side

15



NUBE: 31 KG

DIMENSIONE FORATURA  
HOLE SIZES



IT - Installazione con kit convogliatore e motore remoto.

EN - Installation with conveyor kit and remote motor.

DE - Installation mit Förder-Kit und getrennt montiertem Motor.

FR - Installation avec kit convoyeur et moteur à distance.

ES - Instalación con kit transportador y motor remoto.

RU - Установка с комплектом воздуховода и удаленным двигателем.

PL - Instalacja z zestawem doprowadzającym i silnikiem zewnętrznym.

NL - Installatie met luchtkanaal en motor op afstand.






PT - Instalação com kit transportador e motor remoto.

DK - Installation med kit med blæser-kappe og fjernmotor.

SE - Installation med transportsats och separat monterad motor.


FI - Asennus kanavasarjalla ja etäkäyttömoottorilla.

NO - Installasjon med transportørsett og fjernmotor.



NUBE: 24 KG

#### DIMENSIONE FORATURA HOLE SIZES








IT - Installazione con motore remoto.  
 EN - Installation with remote motor.  
 DE - Installation mit getrennt montiertem Motor.  
 FR - Installation avec moteur à distance.  
 ES - Instalación con motor remoto.  
 RU - Установка с удаленным двигателем.  
 PL - Instalacja z silnikiem zewnętrznym.  
 NL - Installatie met motor op afstand.

PT - Instalação com motor remoto.  
 DK - Installation med fjernmotor.  
 SE - Installation med separat monterad motor.  
 FI - Asennus etäkäytömoottorilla.  
 NO - Installasjon med fjernmotor.

pag.  
 Seite  
 str.  
 sivu

20



NUBE: 22 KG

DIMENSIONE FORATURA  
HOLE SIZES

