

HTS, ECCN, COOC INFORMATION		
HTS (US)	8517.62.0090	
HTS (EU/UK)	8517.62.0000	
HTS (CA)	8517.62.0090	
HTS(China)	8517.62.9990	
ECCN (US)	5A992.c	
Country of Origin	Vietnam (VN) and Taiwan TW)	
DIMS, WEIGHT, COLOR INFORMATION		
Product Color		
Fitment Features	Adjustable Temple Tips	
Dimensions of retail box	180.7*86.7*54.7mm	
Weight of boxed retail unit	339.3g	
Weight of glasses alone (excluding box/accessories)	Style #2 - 53.8g	
Weight of charging case alone (excluding box/accessories)	133g	
Dimensions of product alone	Style #2 - 152.0mm x 46.3mm x 155.5mm	
Dimensions of product alone (temple to temple)	107.7mm	
Master carton quantity	8	
Dimensions of master carton	388*213*134mm	
Weight of master carton	3.28kg	
Master Carton per pallet	104	
Pallet quantities	832	
Master cartons per pallet layer	8	
Total # of layers of each pallet	8	
Dimensions of pallet	1219*1016*1272mm	
Weight of pallet	351.5824kg	
MEMORY, CAMERA, DISPLAY INFORMATION		
Memory Storage	1000+ photos	
Camera	3024 X 4032 pixels	
Sensors	ALS (Ambient Light Sensors) - TSL2521 (Right I	
Video capture / Resolution	Day 0:	
Camera Framing / Resolution	~21.5mm) Diagonal FOV: 100 degree	
Controls	On-device cap-touch control / Voice fea	
Buttons	Physical capture & action button 2 position sw	
LEDs	2.6mm x 0.8mm obround user LED (located a	
Display	None	
Lens material	Standard/Polarized/Photochromic - PC Photoc	
Temple Arms material	EMS-Grivory Grilamid TR 90	
Frame material	BTR800	
BATTERY INFORMATION		
	Large battery in the right temple	Small battery in
Glasses Battery type	Rechargeable-Lithium ion	Rechargeable
Glasses Battery model #	MC-1444206A-B1	MC-1444
Glasses Battery weight	4.14±0.15g	1.75±
Glasses Battery capacity	162 mAh/0.631 Wh	54mAh/

Glasses Battery cell qty	1	1
Battery operating voltage	4.48V	4.4
Lithium content weight	0.0689g	0.02
Glasses Battery shape	Rectangle	Recta
Glasses Battery Charging Time (hours)	Time to 96% 75 mins (shown as 100% in	
Glasses Batery Operating time (hours)	Moderate user will have a 10 hrs runti	
Glasses battery UL Certification #	MH47612	MH4
& controller)	mez-f/view?usp=drive link	
CHARGING CASE BATTERY INFORMATION		
Charging case material	Outer materials is PUK (knit polyureth	
Charging case Battery type	Rechargeable-Lithium ion	
Charging case Battery model #	MC-1474914A-B	
Charging case Battery weight	48.4 g	
Charging case Battery capacity	2940. mAh	
Charging case Battery cell qty	1	
Charging case Battery operating voltage	4.15V	
Lithium content weight	1.21g	
Charging case Battery shape	Cylindrical	
Charging case Battery Charging Time (hours)	%full* in 149min. (Note: "full charge" defined at 9	
Charging case Battery Operating time (hours)	48 hours	
Charging case battery UL Certification #	UL-US-2575659-0	
Charging Connector Type (on Device)	USB-C	
Charging Voltage	4.15V	
Charging Case UN38.3 Lithium Battery(Cell) Test	a Platforms-Technologies-UN-38.3-Test-Summ	
(headset & controller)	MC-1474914A-B (Cabo) MSDS--SCUD 2025	
DANGEROUS GOODS INFORMATION		
Dangerous Goods Classification (case alone)	UN3480, Lithium-ion batteries, Class	
Dangerous Goods Classification (Glasses alone)	UN3481, Lithium-ion batteries contained in equi	
Dangerous Goods Classification (Glasses and Case)	UN3481, Lithium-ion batteries packed with equi	
UN38.3 Lithium Battery(Cell) Test	Meta Platforms-Technologies-UN-38.3-Test Sum	
ADAPTER/CONNECTION INFORMATION		
Charging Connector Type (on Device)	Pogo	
Wireless Charging Option (Y / N)	N	
Plug type	N/A	
Power Adapter Voltage (Max Output). DC	N/A	
Power Adapter rating (watts)	N/A	
Charging cable length (meter)	N/A	
Supports USB Power Delivery (PD) Charging Protocol	N	
MIC, VOLUME, OS, TEMPERATURE INFORMATION		
Microphone	6 microphones with beamforming	
Speaker Output (watts)	nothing particularly notable to call o	
Max Volume	76.1dB(C), 50% louder and 2x more bass compare	
Speaker driver size (2 speaker, left/right symmetric)	2 Speakers (Left/Right)	
Wireless Connection Type (wifi, bluetooth...)	Wifi and BT	

[illegible]

		AR PDE Team
	farer RegularStyle #2 = Wayfarer LargeStyle #3 = AviatorStyle #4 = Zena	
mm	farer RegularStyle #2 = Wayfarer LargeStyle #3 = AviatorStyle #4 = Zena	
	farer RegularStyle #2 = Wayfarer LargeStyle #3 = AviatorStyle #4 = Zena	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
	8/25/2026	
Hinge Area)		
es		
atures		AR PDE Team
itch (ON/OFF)		AR PDE Team
t side right)		
chromic - NXS		
		AR PDE Team
		AR PDE Team
n the left temple		
-Lithium ion		Battery TPM team
851A-B1		Battery TPM team
0.15g		Battery TPM team
0.211 Wh		Battery TPM team

L		Battery TPM team
8V		Battery TPM team
94g		Battery TPM team
angle		Battery TPM team
MWA)		Battery TPM team
me.		Battery TPM team
7612		Battery TPM team
		Battery TPM team
ane)		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
5% of actual char		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
		AR PDE Team
ary-SC49 Scud		AR PDE Team
.02.13.pdf		AR PDE Team
s 9		
pment, Class 9		
pment, Class 9		
mary-Sivertip-		AR PDE Team
		Orion PDE Team
ut.		
d to RBS		

[illegible]

